



भारत का राजपत्र The Gazette of India

असाधारण

EXTRAORDINARY

भाग II—खण्ड 3—उप-खण्ड (ii)

PART II—Section 3—Sub-section (ii)

प्राधिकार से प्रकाशित

PUBLISHED BY AUTHORITY

सं. 3867]

नई दिल्ली, सोमवार, अक्टूबर 01, 2018/आश्विन 9, 1940

No. 3867]

NEW DELHI, MONDAY, OCTOBER 01, 2018/ASVINA 9, 1940

सड़क परिवहन और राजमार्ग मंत्रालय

अधिसूचना

नई दिल्ली, 1 अक्टूबर, 2018

का.आ. 5046(अ).—मोटरयान अधिनियम, 1988 की धारा 58 की उपधारा (3) एवं धारा 110 की उपधारा (3) (ए) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए केन्द्र सरकार एतद्वारा सितम्बर, 2018 से अगस्त, 2019 के बीच में एक टीजी स्टेटर के तुतीकोरीन पोर्ट से उप्पूर तक सड़क यातायात हेतु धुरियों को जोड़ने हेतु जिनका अधिकतम सुरक्षित लदान भार/कुल सकल भार और आकार संलग्न अनुसूची में उल्लिखित है, अनुमोदन प्रदान करती है—

अनुसूची

- मै. एन.टी.सी. लॉजिस्टिक्स प्रा. लि., चेन्नई, उपरोक्त फेरा के लिए मै. भारत हेवी इलेक्ट्रीकल्स लिमिटेड, के लिए यातायात कम्पनी है।
- उपरोक्त फेरा में छह प्राईम मूवर्स पंजीकरण संख्या केए01एजे2956, केए01एजे2970, एनएल 02के 5341, एनएल 02के 5342, एनएल 02के 5693 और एनएल 02के 6803 इस्तेमाल किए जाएंगे।
- उपरोक्त एक फेरे के लिए निम्नलिखित स्वतंत्र हाईड्रोलिक ट्रेलर्स इस्तेमाल किए जाएंगे:

ट्रेलर्स की पंजीकरण संख्या	ट्रेलर्स में धुरियों की संख्या	ट्रेलर्स में पहियों की संख्या	सीएमवीआर, 1989 के अनुसार सकल भार (टनों में)	वाहन का प्रति धुरी सकल भार (टनों में)
एचआर 55 पी 8001	4	32	72(18x4)	17.875 टन
एचआर 55 पी 8002	6	48	108(18x6)	
एचआर 55 पी 8005	8	64	144(18x8)	
एमएच 46 एच 3385	6	48	108(18x6)	
एमएच 46 एच 4657	4	32	72(18x4)	
एमएच 46 एच 4658	4	32	72(18x4)	

4. वाहन और भार विन्यास:—लदी हुई स्थिति में कुल सकल भार एवं कन्साइनमेंट का माप निम्नलिखित होगा :—

खाली भार (टन)	स्टेटर्स का भार (टन)	धुरियों का कुल सकल भार	कन्साइनमेंट का कुल माप (एम.एम. में)(लम्बाई x चौड़ाई x उचाई)	चौड़ाई एवं लम्बाई में धुरियों को जोड़ने का विवरण
32 खाली धुरी पंक्ति का भार : 110 टन	462 टन	572 टन	11660 X 5090 X 4850	32 धुरी पंक्ति को लम्बाई में जोड़ा जाएगा (एक धुरी पंक्ति में 08 टायर)

5. उपर्युक्त छूट इन शर्तों के अधधीन है:—

(i) उपरोक्त कन्साइनमेंट के यातायात हेतु विशेष रास्ता तुतीकोरीन पोर्ट — इपोथम वेनद्राम — पंधाल कुरी — मदुरई — थिरुपूभानम — मानामदुरई — परमाकुरी — रामानाथपुरम् — देवीपतीनम — उप्पूर है।

(ii) लो.नि.वि./स्थानीय प्राधिकारियों/भारतीय राष्ट्रीय राजमार्ग प्राधिकरण द्वारा विभिन्न सड़कों के लिए विनिर्दिष्ट भार प्रतिबंधों का अनुपालन किया जाएगा और वाहनों को प्रत्येक बार सड़कों पर लाते समय इन प्राधिकारियों से अनुमति ली जाएगी। सुरक्षा की दृष्टि से ट्रेलरों का प्रत्येक प्रचालन राज्य/संघ शासित प्रदेश/भारतीय राष्ट्रीय राजमार्ग प्राधिकरण के संबंधित परिवहन विभाग द्वारा अनुमोदित किया जाएगा और उसपर कड़ी निगरानी रखी जाएगी।

(iii) वाहन पर खतरे संबंधी सभी झंडियां और बत्तियां लगी होनी चाहिए, बेहतर यह होगा कि लदे वाहन के आगे तथा पीछे एक-एक वाहन स्पष्ट रूप से यह दर्शाता हुआ चले कि भारी लदा हुआ वाहन गुजर रहा है।

(iv) केवल उपरोक्त तीन फेरे के लिए ट्रेलरों को चौड़ाई में जोड़ने की अनुमति है।

(v) मै. एन.टी.सी. लॉजिस्टिक्स प्रा. लि., चेन्नई, को वाहन के प्रत्येक आवागमन कार्यक्रम की सूचना कम-से-कम दस दिन पूर्व राज्य सरकार/संघ शासित प्रदेश/भारतीय राष्ट्रीय राजमार्ग प्राधिकरण द्वारा निर्धारित प्राधिकारी/विशेष अधिकारी को देनी होगी।

(vi) किसी राज्य या केन्द्र शासित प्रदेश के लो.नि.वि./स्थानीय प्राधिकारियों/भारतीय राष्ट्रीय राजमार्ग प्राधिकरण द्वारा यदि ऐसा निर्देश दिया जाए तो लदे हुए वाहनों को उस राज्य/संघ शासित प्रदेश में सड़कों पर बने पुलों से गुजरने की अनुमति नहीं होगी और ऐसे मामलों में आवेदकों को नदियों/नालों को पार करने के लिए स्वयं व्यवस्था करनी होगी।

(vii) मै. एन.टी.सी. लॉजिस्टिक्स प्रा. लि., चेन्नई को बड़े आकार के कार्गो को ध्यान के रखते हुए उन्हें किसी मार्ग विशेष पर चलने से पहले प्रत्येक बार संबंधित राज्य या संघ शासित प्रदेश के प्राधिकारियों/भारतीय राष्ट्रीय राजमार्ग प्राधिकरण की अनुमति प्राप्त करनी होगी। ऐसे प्रत्येक आवागमन के लिए संबंधित प्राधिकारी द्वारा समय का निर्धारण किया जाना चाहिए।

(viii) उक्त वाहन, यातायात के सामान्य आवागमन में कोई बाधा पहुँचाए बगैर चलाया जाना चाहिए।

(ix) सड़क पर चलने के लिए ट्रेलरों की अधिकतम गति 10 कि.मी./घंटा से अधिक नहीं होनी चाहिए।

(x) ट्रेलरों की संपूर्ण चौड़ाई में अगले एवं पिछले हिस्से पर पीले एवं काले रंग से जेबरा पट्टी बनाई जाएगी और उस पर रात्रि के समय चलाने के लिए विधिवत लिखा होना चाहिए/पार्किंग के लिए आगे, और पीछे समुचित रूप से लाल बत्ती होनी चाहिए तथा दिन में दोनों ओर लाल झण्डी लगाई जाएगी, जिससे वाहन की सही-सही स्थिति का स्पष्ट रूप से पता चल सके।

(xi) सड़कों अथवा सड़क ढांचों/अन्य सड़क प्रयोक्ताओं/व्यक्तियों का ऐसे वाहनों के प्रचालन के कारण प्रत्यक्ष अथवा अप्रत्यक्ष रूप से हुई किसी क्षति के लिए राज्य/संघ शासित प्रदेश सरकार/भारतीय राष्ट्रीय राजमार्ग प्राधिकरण या किसी अन्य प्रभावित व्यक्ति को ऐसी राशि का भुगतान करने के लिए मै. एन.टी.सी. लॉजिस्टिक्स प्रा. लि., चेन्नई जिम्मेदार होगी।

(xii) मै. एन.टी.सी. लॉजिस्टिक्स प्रा. लि., चेन्नई ऐसे प्रतिबंधों का पालन करेगी जो इस संबंध में राज्य सरकारों/संघ शासित प्रदेश/भारतीय राष्ट्रीय राजमार्ग प्राधिकरण द्वारा आदेश द्वारा विनिर्दिष्ट किए जाएं।

(xiii) मै. एन.टी.सी. लॉजिस्टिक्स प्रा. लि., चेन्नई देखेगी कि उपरोक्त फेरों में काम आने वाले सारे वाहनों का सड़क कर दे दिया गया है एवं फिटनेस सर्टिफिकेट, बीमा कवर, राष्ट्रीय परमिट एवं पी यू सी प्राप्त कर लिए गये हैं।

(xiv) प्रत्येक स्टेटर के यातायात हेतु समायोजन में प्राईम मूवर एवं 32 धुरी प्रत्येक पंक्ति में होगी।

(xv) ट्रेलरों के यातायात हेतु चौड़ाई में धुरियों को जोड़ने के पश्चात यदि समायोजन की चौड़ाई सड़क की चौड़ाई से अधिक है तो राज्य सरकारों/भारतीय राष्ट्रीय राजमार्ग प्राधिकरण से परामर्श कर बाई पास बनाना या अन्य उपाय किए जाएंगे।

(xvi) ट्रेलरों एवं प्राईम मूवर्स के पंजीकरण पुस्तिका में कोई भी बदलाव नहीं किया जाएगा, क्योंकि ये पहले से ही महाराष्ट्र, कर्नाटका, हरियाणा एवं नागालैंड राज्यों में पंजीकृत हैं।

[सं. आर.टी-11042/39/2018-एम.वी.एल.]

प्रियांक भारती, संयुक्त सचिव

MINISTRY OF ROAD TRANSPORT AND HIGHWAYS**NOTIFICATION**

New Delhi, the 1st October, 2018

S.O. 5046(E).—In exercise of the powers conferred by sub-section (3) of Section 58 and sub-Section 3(a) of Section 110 of the Motor Vehicles Act, 1988, the Central Government hereby accords approval for coupling of axles for transportation of one “TG Stator” during the period from September, 2018 to August, 2019 from Tuticorin Port to Uppur by road with maximum safe laden weight/Gross Vehicles Weight and dimensions as mentioned in the schedule appended hereto.

SCHEDULE

1. M/s. NTC Logistics India Pvt. Ltd., Chennai is the transporter of M/s Bharat Heavy Electricals Limited for the aforesaid single movement.
2. Six Prime Movers bearing registration KA01AJ2956, KA01AJ2970, NL02K5341, NL02K5342, NL02K5693 and NL02K6803 will be utilized in the above movement.
3. The following independently registered hydraulic Trailers will be utilized in the above movements:—

Registration No. of Trailers	No. of Axles in Trailers	No. of Tyres in Trailers	GVW as per CMVRs, 1989.	Per Axle GVW of the vehicle (in Ton)
HR55P8001	4	32	72 (18x4)	17.875 Ton.
HR55P8002	6	48	108 (18x6)	
HR55P8005	8	64	144(18x8)	
MH46H3385	6	48	108(18x6)	
MH46H4657	4	32	72(18x4)	
MH46H4658	4	32	72(18x4)	

4. Vehicle and Load Configuration:—GVW of the axles in laden condition and overall dimension of consignment will be :—

Unladen Weight in Tons	Weight of Stator in Tons	GVW of the axles required	Overall dimension of consignment (in MM) (length x Width x Height)	Description of Coupling of axles in length and width
Unladen weight of 32 axle rows : 110 Tons	462 tons	572 tons	11660 x 5090 x 4850	32 axle rows will be coupled along length (08 tyres per axle row).

5. The above relaxation is subject to the conditions that :-

- (i) The specific route for transportation of the consignment will be from Tuticorin Port – Eppothum vendran – Pandhal Kudi – Madurai – Tiruppuvanam – Manamadurai – Paramakudi – Ramanathapuram – Devipatinam - Uppur.
- (ii) Load restrictions on various roads stipulated by the Public Works Department/Local Authorities/National Highway Authority of India will be observed and permission of such authorities will be obtained before the vehicles are put on the roads. Movement of the trailers will be approved and closely monitored by the concerned road authorities in State/Union Territory/National Highway Authority of India from safety point of view.
- (iii) The vehicles should display all danger flags and lights, the vehicles should be preceded and followed by a vehicle displaying prominently that a heavy load is passing.
- (iv) Coupling of the trailers along side by side the width of the road will be permissible only for above movements.

- (v) M/s NTC Logistics India Ltd., Chennai will give intimation at least ten days in advance to such authority or officer specified in this behalf by the State Government/National Highway Authority of India regarding each movement of such vehicles.
- (vi) If so directed by the Public Works Department of a State/Union Territory/National Highway Authority of India, the loaded vehicles will not be allowed to pass over the bridges on the roads in that State/Union Territory and in such cases applicants will have to make their own arrangements to cross the rivers/drains.
- (vii) M/s NTC Logistics India Ltd., Chennai would need to obtain permission before moving, from concerned State or Union Territory Authorities/National Highway Authority of India en route, in view of the oversized cargo. For each such movement, the timing should be prescribed by the concerned authority.
- (viii) The said vehicles should be moved without any hindrance to the normal flow of traffic.
- (ix) The maximum speed of the trailers for movement on the road shall not exceed 10 kms/hour.
- (x) The trailers shall be painted for the entire width by yellow and black zebra strips on the front and rear sides duly marked for night time driving/parking suitably by red lamps at the front and rear and red flags on both the sides during day time to indicate the extreme position of the vehicle clearly.
- (xi) M/s NTC Logistics India Ltd., Chennai would be liable to pay such amount to the Government of State/Union Territory/National Highway Authority of India or any other affected person where any damage is caused to the roads or road structures/other road users/person directly or indirectly due to the movement of the trailers.
- (xii) M/s NTC Logistics India Ltd., Chennai will observe such restrictions as the State/Union Territory Government/National Highway Authority of India may by order specify in this behalf.
- (xiii) M/s NTC Logistics India Ltd., Chennai will ensure that road tax have been paid, fitness certificate, insurance cover, National Permit, and PUC have been obtained in respect of all the vehicles to be utilized during the above movements.
- (xiv) Each set of vehicles for transportation of Stator, will consist of Prime Movers and 32 rows of axles.
- (xv) In case, the width after sideway coupling of trailers exceeds the road width in certain stretches, by passes/other measures in consultation with States Authorities/National Highway Authority of India will be taken for movement of the above consignment.
- (xvi) No change will be made in the Registration Certificates of the Trailers and Prime Movers as they are already registered in the State of Maharashtra, Karnataka, Haryana and Nagaland.

[No. RT-11042/39/2018-MVL]

PRIYANK BHARTI, Jt. Secy.